

W

1. Field of the Invention

2. Prior Art

[0003] One solution to the problem of matching a sample of a decorative product to paints is described in U.S. Patent No. 4,813,000 which discloses a method of matching a selected color with predetermined available paint colors. A portable colorimeter is used to analyze the selected color of an unknown sample and store the chromaticity data (hue, chroma, and brightness) for the selected color. The stored chromaticity data is coupled to a computer. The computer also stores chromaticity data for a set of paint formulas. The computer then selects the stored paint formula

having chromaticity data which most closely matches the chromaticity data of the unknown sample. This system provides a method of matching a single, unknown sample (e.g., a swatch of wallpaper) to a known set of paint formulas. However, it does not allow for identification of other decorative product types beyond paint which would match the unknown sample. Moreover, every practice of the method requires the use of a colorimeter and access to a link between the colorimeter and a computer storing the paint database.

[0004] Another system for color matching decorative products is described in U.S. Patent No. 6,122,391. In that system, the colors of decorative products are determined spectrophotometrically and are assigned a Pantone color best matching the colors of the products. Several product types, including wallpaper, drapery fabric, floor coverings, and paint, are stored in computer databases with a Pantone color associated for each of the products. Via a computer, a user selects one decorative product type (e.g., wallpaper) and identifies a style therefor (e.g., traditional or contemporary), a pattern type, and the computer presents a screen of potential colors. The colors are a condensed version of the approximately 1,700 Pantone available colors, and the user selects one of the colors appearing on the computer screen. The wallpaper database is then searched and a display of wallpapers which match the color and style selected by the user is presented. The user chooses one wallpaper and may then search other decorative products, such as paint. The paints are identified as those which match the Pantone colors found in the selected wallpaper. Finally, the computer presents a representation of a room decorated with each of the decorative products identified in the system. This system requires that each of decorative products available from one or more manufacturers is matched with a Pantone color. The Pantone color is used as the reference for matching one decorative product to another decorative product. A drawback to this system is that the user must first select a color based on a computer representation of Pantone colors. The ability to accurately represent colors on a computer screen remains problematic. Color quality can be affected by the computer hardware and operating system. A color presented on a computer screen is often not a true representation of the actual color, hence, the products selected by the system may not actually be the color desired by the user. In addition, although the system allows for selection of multiple product types (wallpaper, paint, etc.), the user must initiate the search from a single color choice. There is no mechanism for matching a preselected product to other decorative products.

[0005] Accordingly, a need remains for a method and apparatus for matching commercially available decorative products based on a preselected decorative product by a user which is simple to use and readily accessible.

SUMMARY OF THE INVENTION

[0006] The present invention relates to a method of selecting one or more decorative products based on color and to an apparatus for practicing the method. A relational database containing a plurality of decorative product databases is provided, each decorative product database including data on one decorative product type, such as paints, wallpaper, fabrics, floor coverings, and window treatments. The relational database is stored on a computer which preferably is remotely accessible via a computer network including the Internet. Each decorative product listed in the databases has a color value, such as an L*a*b* measurement, associated therewith. A decorative product in one database (e.g., a paint) is coordinated with at least one other decorative product in another database (e.g., a wallpaper) by selecting the wallpaper having a color value which most closely matches the color value for the paint according to an algorithm. The system may also identify products having complementary colors or contrasting colors. The databases may contain additional information on the decorative products listed therein, such as supplier name, price, or product code. The algorithm for identifying coordinating decorative products may be modified to select for a characteristic of the additional information.

[0007] Another embodiment of the invention includes a relational database having a first paint database containing color data and one or more other decorative product databases containing data on other types of decorative products. The data on the other types of decorative products also includes data on paints having colors relating to the colors of the decorative products in the other decorative product databases. A preselected decorative product is located in one of the databases, and paint data relating to the preselected decorative product is identified. The other decorative product databases are searched for the related paint data. When one or more matches with the related paint data is located in another database, a decorative product(s) which also relates to the related paint data of the preselected product is identified as coordinating with the preselected product.

[0008] The preselected decorative product may be a product listed in the relational database for which related paint data is provided. Alternatively, the preselected decorative product may be an unknown product not listed in the relational database. In that case, the color value of the unknown product is

determined. The color value is matched with a paint contained in the relational database to a preselected degree. The relational database is searched for paint data for the unknown product to identify decorative products that also relate to the paint data of the unknown product. All decorative products listed in the relational database which relate to the paint data of the unknown product are considered to be color matched with the unknown product.

[0009] A complete understanding of the invention will be obtained from the following description when taken in connection with the accompanying drawing figures wherein like reference characters identify like parts throughout.

BRIEF DESCRIPTION OF THE DRAWINGS

[0010] Fig. 1 is a schematic, block diagram of the system of the present invention including a relational database;

[0011] Fig. 2a is a schematic, block diagram of the relational database shown in Fig. 1;

[0012] Fig. 2b is a flow diagram of a method of selecting a decorative product using the relational database shown in Fig. 2a;

[0013] Fig. 3a is a schematic, block diagram of another embodiment of a relational database for use in the system shown in Fig. 1;

[0014] Fig. 3b is a flow diagram of a method of selecting a decorative product using the relational database shown in Fig. 3a;

[0015] Fig. 4 is a flow diagram of another method of selecting a decorative product using the relational database shown in Fig. 2a; and

[0016] Fig. 5 is a flow diagram of another method of selecting a decorative product using the relational database shown in Fig. 3a.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0017] For purposes of the description hereinafter, it is to be understood that the invention may assume various alternative variations and step sequences, except where expressly specified to the contrary. It is also to be understood that the specific devices and processes illustrated in the attached drawings, and described in the following specification, are simply exemplary embodiments of the invention.

[0018] The present invention relates generally to a method and apparatus for selecting a decorative product based on the color of the product. In the following discussion, the method and apparatus are explained with reference to selecting the decorative product based on paint color. However, it is to be understood that this is an exemplary use of the invention and should not be considered as limiting. The

method and apparatus of the invention can be practiced in a variety of fields, such as the matching of apparel and fashion products.

[0019] An exemplary system 2 is schematically shown in Fig. 1. The system 2 includes a computer 4 containing a relational database 6. The system 2 may be a portion of a computer network, such as the Internet. The computer 4 includes an input 8 for identifying a preselected decorative product and an output 9 for identifying coordinating decorative product(s). By the term coordinating, it is meant matching colors, complementary colors, and contrasting colors. The relational database 6 is shown schematically in Fig. 2a as including decorative product databases 10, 12, 14, and 16. Each decorative product database includes products of one type. In Fig. 2a, decorative product databases 10, 12, 14, and 16 are identified as a paint database, wallpaper database, a floor covering database, and a fabric database, respectively. These product types are exemplary only. Other decorative products could be listed in other decorative product databases, such as window treatments, towels, accent products (e.g., clocks and lamps), and artwork or picture frames. Each decorative product database includes data on products and color data on at least one color value for a color of the product. Preferably, the color value includes the hue, chroma, and brightness of the product and may be a measurement of $L^*a^*b^*$. The color values preferably are determined using a colorimeter, preferably a spectrophotometer. For certain products, such as wallpaper and fabrics, the color data may include a plurality of color values. In the case of wallpaper, the background may have one color value while the pattern has one or more color values. The color data for a multi-colored product includes information for each color value of separate portions of the multi-colored product background, pattern, border, and the like. The decorative product databases 10, 12, 14, and 16 may contain additional information on the products, such as supplier, product name, price, product code, style (e.g., contemporary or juvenile), size, and the like.

[0020] In operation, a user preselects a decorative product listed in the relational database 6 and inputs an identification for the product at 8. The preselected decorative product is a product selected by a user of the system 2 for which coordinating decorative products are sought. Upon input of the preselected decorative product, the computer 4 identifies the type of product and locates the preselected decorative product in one of the decorative product databases 10, 12, 14, or 16. The computer identifies the color data for the preselected decorative product and searches one or more of the other decorative product databases 10, 12,

the secondary paint suppliers are cross-referenced to the paints available from the primary paint supplier. The cross-reference is based on the closest chromaticity match between each paint from the secondary paint supplier to a paint from the primary paint supplier. Thus, the database 20 may include data on paint from a secondary paint supplier with related paint data, the related paint data being the closest color match to a paint from the primary paint supplier.

[0029] The relational database 18 further includes one or more other decorative product databases 22, 24, 26, and 28. Each other decorative product database includes products of one type. In Fig. 3a, second decorative product databases 22, 24, 26, and 28 are identified as a wallpaper database, a floor covering database, a fabric database, and a window treatment database, respectively. As for the relational database 6, other decorative products could be listed in other decorative product databases of the relational database 18. Each of the decorative product databases 22, 24, 26, and 28 includes a list of decorative products for the respective product type and may include products available from one or more suppliers.

[0030] The data for each decorative product in the relational database 18 includes information on the respective decorative product and related paint data on paint that matches a color of each decorative product. In the paint database 20, the related paint data for paint from the primary supplier is information on the paint itself, such as the paint name (e.g., "Glassy Blue") or product code (e.g., UPC or Universal Product Code). The related paint data for paint available from secondary suppliers is the cross-referenced paint data on paint from the primary supplier. For the second decorative product databases 22, 24, 26, and 28, the related paint data is the paint from the primary supplier which coordinates with the colors of the products in the databases 22, 24, 26, and 28. In this manner, the link between each of the databases 20, 22, 24, 26, and 28 in the relational database 6 is the paint data of a single paint manufacturer, the primary paint supplier. Each decorative product listed in the relational database 18 has related paint data (a paint from the primary supplier) associated therewith.

[0031] The relational database 18 is constructed by listing each decorative product and related paint data for each decorative product in the databases 20, 22, 24, 26, and 28. This requires that a color analysis of each decorative product be made to determine a paint from the primary paint supplier which best matches each decorative product. The chromaticity (or other color defining property) of a

decorative product is matched as best as possible to the known chromaticity of the paints from the primary supplier. In particular, the color value of each decorative product in the databases 22, 24, 26, and 28 is determined, preferably using a colorimeter, preferably, a spectrophotometer. The color value of each decorative product is matched to a preselected degree with the color value of a paint color of paint from the primary supplier. In this manner, a paint from the primary supplier is related to each decorative product. The databases 20, 22, 24, 26, and 28 store data on each decorative product and data related thereto on the paint color from the primary paint supplier which best matches the decorative products listed therein.

[0032] The decorative product databases 20, 22, 24, 26, and 28 each have data on the decorative products and on related paint data. For some decorative products, more than one paint from the primary supplier may be related thereto. For example, wallpaper may have a background color as well as accent colors for the pattern in the wallpaper. Accordingly, each wallpaper product listed in the wallpaper database 22 has at least one related paint data, preferably more than one related paint data, most preferably related paint data for the background color and related paint data for each of three accent colors.

[0033] The data for each decorative product listed in the relational database 18 at least includes an identification of the decorative product and may further include other information such as supplier, price, product code, product name, style, size, or the like. Preferably, the data for each product listed in each of databases 20, 22, 24, 26, and 28 uses one identification system (e.g., product code) which is input to the computer 4 and searchable therein. The information provided at the output 9 includes the identification data and may include the additional information such as price or supplier.

[0034] The computer 4 includes software to perform an algorithm for locating a selected product in the databases 20, 22, 24, 26, and 28 and matching the related paint data of the paint database 20 to the related paint data in each of the decorative product databases 22, 24, 26, and 28. The input 8 to the computer 4 receives data on a preselected decorative product. The preselected decorative product is a product selected by a user of the system for which coordinating decorative products are sought. Upon input of data on the preselected decorative product, the computer identifies the type of product and categorizes the preselected decorative product as one of the types of decorative products in decorative product databases 20, 22, 24, 26, and 28.

designed to provide information on coordinating decorative products based on paint colors available from a single paint manufacturer. The paint data from a single paint manufacturer is the link between each of the decorative product databases 20, 22, 24, 26, and 28 of the relational database 18. The relational database 18 may be updated as additional products become available for the decorative product databases 22, 24, 26, and 28 and new paints are developed for the paint database 20. For example, when a new paint becomes available, the paint data therefor is stored in the paint database 20. Coordinating decorative products in each of the decorative product databases 22, 24, 26, and 28 are determined. The related paint data for the coordinating decorative products in the databases 22, 24, 26, and 28 is updated to include data on the new paint.

[0039] Fig. 3b is a flow diagram of another method of identifying decorative product according to the present invention using the relational database 18. According to the method of the present invention, a user preselects a decorative product in step 100. The decorative product is one of the products which is listed in one of the decorative product databases 20, 22, 24, 26, and 28 of Fig. 3a. The decorative product is inputted into the computer 4 and, in step 102, the computer searches the databases for the preselected product and locates the preselected product. In step 104, the computer identifies paint data which relates to the preselected data product in one of the databases. Once the paint data for the preselected product is identified, the computer searches in step 106 for the related paint data in other of the decorative product databases of the relational database 6. In step 108, one or more decorative products are identified in the other database which also reference the related paint data. This identified decorative products are deemed to coordinate with the preselected product.

[0040] An advantage of these embodiments of the present invention is that selection of decorative products does not require the use of a color measuring device, such as a colorimeter or a spectrophotometer. Instead, the relational databases 6 and 18 contain all the data needed to cross-reference color coordinated decorative products based on color value and paint color, respectively. The user need not rely upon the colors present on a computer screen to identify matching or suitable colors.

[0041] The system 2 of the present invention may also be used to identify decorative products that match with a decorative product not listed in the relational databases 6 or 18. As shown in the flow diagram of Fig. 4, a user preselects in step

150 an unknown decorative product, such as a swatch of a wallpaper. Using a colorimeter that may be a spectrophotometer, the color value of the unknown product is measured in step 152. The color value of the unknown product is inputted at 8 to the computer 4. One or more matches to a color value in the relational database 6 is determined in step 154. The computer 4 identifies decorative products having color values closely matching the color value of the unknown product in step 156. The identified decorative products are output at 9. Alternatively, as shown in the flow diagram of Fig. 5, a user preselects in step 200 an unknown decorative product. The color value of the unknown product is measured in step 202. The closest match to a paint from the primary supplier is determined in step 204. The matched paint from the primary supplier is input at 8 to the computer 4. The computer 4 searches the databases 22, 24, 26, and 28 for the matched paint in step 206 and identifies decorative products therein which have related paint data of the paint matching the unknown product in step 208. The identified decorative products are output at 9.

[0042] It will be readily appreciated by those skilled in the art that modifications may be made to the invention without departing from the concepts disclosed in the foregoing description. Such modifications are to be considered as included within the following claims unless the claims, by their language, expressly state otherwise. Accordingly, the particular embodiments described in detail herein are illustrative only and are not limiting to the scope of the invention which is to be given the full breadth of the appended claims and any and all equivalents thereof.